OVERVIEW

NEWS GB

SIBU
DESIGN

OVERVIEW

SIBUGLAS 06

LEATHER-LINE 16

STRUCTURE-LINE 28

DECO-LINE 44

MULTISTYLE 54

PROFILES 56

SOFTLEATHER 58

SIBUGLAS

SG Vintage
Silver

SG Vintage
Copper



SG PEARL RAY
Gold



SG COCKTAIL
Opal

SG COCKTAIL
Saphire



SG COCKTAIL
Amber



SG YUKON

SG LEGUAN
Silver

SG LEGUAN
Gold

SG LEGUAN
Copper

SG LEGUAN
Blue

LEATHER-LINE

LL MYSTIQUE
Gold/Silver

LL MYSTIQUE
White/Gold

LL MYSTIQUE
White/Silver

LL MYSTIQUE
Black/Silver

LL MYSTIQUE
Vintage Silver/
Silver

LL ORIENT Gold/
Silver

LL ORIENT Vintage
Silver/Silver

LL FLORAL
Vintage Silver/Silver

LL Vintage Copper

LL Vintage Silver

LL PEARL RAY
Gold



LL LEGUAN Blue

STRUCTURE-LINE

SL MYSTIQUE
Vintage Copper

SL MYSTIQUE
Vintage Silver

SL ORIENT
Vintage Copper



SL ORIENT
Vintage Silver

SL IMPACT
Vintage Silver

SL IMPACT
Antique Brass

SL IMPACT
Antique Bronze

SL RAW
Vintage Silver

SL RAW
Antique Brass

SL RAW
Antique Bronze

SL RAW
Vintage Copper

SL PEARL RAY
Vintage Silver



SL RACE
Silver

SL RACE
Vintage Silver/Bronze

SL RACE
Vintage Copper/Silver

SL RIVET
Vintage Silver

SL MOTION ONE
Pearl White PF

DECO-LINE



DM FLEUR
Gold/Brown

DM FLEUR
Silver/Brown



DM MONSOON
Vintage Brown

DM OAK TREE
Light

DM OAK TREE
Dark

DM Vintage
Copper



DM Vintage
Silver



DM Copper

MULTISTYLE



MS Green Glaze
3x3 flex.



MS White Glaze
3x6 flex.

PROFILES



PR S18
Silver gloss



PR S18
Silver PF met



PR S18
Vintage Copper

PR S18
Vintage Silver

PR S18
Antique Brass

PR S18
Antique Bronze



PR L18
Silver PF gloss



PR L18
Silver PF met



PR L18
Vintage Copper

PR L18
Vintage Silver

PR SWI 10
Silver PF gloss

PR SWI 10
Silver PF met

PR SWI 10
Vintage Copper

PR SWI 10
Vintage Silver

PR SWI 10
Antique Brass

PR SWI 10
Antique Bronze

PR SWA 10
Silver PF gloss

PR SWA 10
Silver PF met

PR SWA 10
Vintage Copper

PR SWA 10
Vintage Silver

PR SWA 10
Antique Brass

PR SWA 10
Antique Bronze

SOFTLEATHER



SOL Bianco



SOL Creme

SOL Mocca

SOL Nero

SOL COCKTAIL
Beryll

SOL COCKTAIL
Platin

SOL COCKTAIL
Saphire

SOL Vintage
Copper

SOL Vintage
Silver

SG Vintage

SG Vintage Silver
2600x1000x1,9 / **NA** 17158 / **SA** 17160

SG Vintage Silver AR+
2600x1000x2,8 / **NA** 17197 / **SA** 17199

SG Vintage Copper
2600x1000x1,9 / **NA** 17159 / **SA** 17161

SG Vintage Copper AR+
2600x1000x2,8 / **NA** 17198 / **SA** 17200



PRODUCT CHARACTERISTICS

	NA	SA	AR+ NA	AR+ SA
Surface material	PMMA		PMMA	
Back side material	PU-leather		PU-leather	
Material thickness	1,9 mm	2,03 mm	2,8 mm	2,93 mm
Temperature stability	up to 60° C	up to 60° C	up to 60° C	up to 60° C
Wet room suitability	●●●○		●●●○	
Customary abrasion resistance	●●●○○○		●●●●●●●●	
Abrasion resistance after polishing	●●●●●○		–	
Rolled packable	–		–	

EXTRA EQUIPMENT

	NA	SA	AR+ NA	AR+ SA
Format options	–		–	
Further thicknesses	on request		–	
Cuttings	✓		✓	
Magnetic	from 3 sheets	–	–	–
PUR/PVA pre-treatment	–		–	

PROCESSING

	NA	SA	AR+ NA	AR+ SA
Cutting, punching	–	–	–	–
Drilling	✓	✓	✓	✓
Sawing* (supported by a panel)	✓	✓	✓	✓
Laser cutting	✓	✓	✓	✓
Hot bending	✓	–	–	–
PUR/PVA compressible**	✓	–	✓	–
Min. bending radius	1000 mm	1000 mm	1000 mm	1000 mm

ACCESSORIES

	NA	SA	AR+ NA	AR+ SA
SIBUKLE	Spatula A2		Spatula A2	
Profile groups	2 / 3 / 5		3 / 5	
Profile recommendation	2 / 5		3 / 5	

SPECIAL COLORS

–

AR+ SibuGlas AR+ products have an excellent abrasion resistance

* Saw blade information: NA: 58453 250x1,4/1,6x30 HW Z80/9,82 (WZF80/16/10) - SA: 58055 250x3,2/2,2x30 HW Z40/19,63

** **Information:** use appropriate balancing material

NA non-adhesive **SA** strongly adhesive **P** Unpolished standard SG products are easily printable


2600
1000

SG PEARL RAY

SG PEARL RAY Gold
2600x1000x2,0 / **NA** 17006 / **SA** 17010

SG PEARL RAY Gold AR+
2600x1000x2,9 / **NA** 17012 / **SA** 17014

Photo: GARANTline

PRODUCT CHARACTERISTICS

	NA	SA	AR+ NA	AR+ SA
Surface material	PMMA		PMMA	
Back side material	PU-leather		PU-leather	
Material thickness	2,0 mm	2,13 mm	2,9 mm	3,03 mm
Temperature stability	up to 60° C	up to 60° C	up to 60° C	up to 60° C
Wet room suitability	●●●○		●●●○	
Customary abrasion resistance	●●●○○○		●●●●●●●●	
Abrasion resistance after polishing	●●●●●○		–	
Rolled packable	–		–	

EXTRA EQUIPMENT

	NA	SA	AR+ NA	AR+ SA
Format options	–		–	
Further thicknesses	on request		–	
Cuttings	✓		✓	
Magnetic	from 3 sheets	–	–	–
PUR/PVA pre-treatment	–		–	

PROCESSING

	NA	SA	AR+ NA	AR+ SA
Cutting, punching	–	–	–	–
Drilling	✓	✓	✓	✓
Sawing* (supported by a panel)	✓	✓	✓	✓
Laser cutting	✓	✓	✓	✓
Hot bending	✓	–	–	–
PUR/PVA compressible**	✓	–	✓	–
Min. bending radius	1000 mm	1000 mm	1000 mm	1000 mm

ACCESSORIES

	NA	SA	AR+ NA	AR+ SA
SIBUKLE	Spatula A2		Spatula A2	
Profile groups	2 / 3 / 5		3 / 5	
Profile recommendation	–		–	

SPECIAL COLORS

–

AR+ SibuGlas AR+ products have an excellent abrasion resistance

* Saw blade information: NA: 58453 250x1,4/1,6x30 HW Z80/9,82 (WZF80/16/10) - SA: 58055 250x3,2/2,2x30 HW Z40/19,63

** **Information:** use appropriate balancing material

NA non-adhesive **SA** strongly adhesive **P** Unpolished standard SG products are easily printable


2600
1000

SG COCKTAIL

SG COCKTAIL Opal
2600x1000x2,4 / **NA** 16987 / **SA** 16990

SG COCKTAIL Opal AR+
2600x1000x3,3 / **NA** 16997 / **SA** 17000

SG COCKTAIL Saphire
2600x1000x2,4 / **NA** 16988 / **SA** 16991

SG COCKTAIL Saphire AR+
2600x1000x3,3 / **NA** 16998 / **SA** 17001



SG COCKTAIL Amber
2600x1000x2,4 / **NA** 16989 / **SA** 16992

SG COCKTAIL Amber AR+
2600x1000x3,3 / **NA** 16999/ **SA** 17002

SG COCKTAIL Saphire AR+

Photo: dieeinrichtung Manzenreiter

PRODUCT CHARACTERISTICS

	NA	SA	AR+ NA	AR+ SA
Surface material	PMMA		PMMA	
Back side material	PU-Leather		PU-Leather	
Material thickness	2,4 mm	2,53 mm	3,3 mm	3,43 mm
Temperature stability	up to 60° C	up to 60° C	up to 60° C	up to 60° C
Wet room suitability	●●●○		●●●○	
Customary abrasion resistance	●●●○○○		●●●●●●●●	
Abrasion resistance after polishing	●●●●●○		–	
Rolled packable	–		–	

EXTRA EQUIPMENT

	NA	SA	AR+ NA	AR+ SA
Format options	–		–	
Further thicknesses	on request		–	
Cuttings	✓		✓	
Magnetic	from 3 sheets	–	–	–
PUR/PVA pre-treatment	–		–	

PROCESSING

	NA	SA	AR+ NA	AR+ SA
Cutting, punching	–	–	–	–
Drilling	✓	✓	✓	✓
Sawing* (supported by a panel)	✓	✓	✓	✓
Laser cutting	✓	✓	✓	✓
Hot bending	✓	–	–	–
PUR/PVA compressible**	✓	–	✓	–
Min. bending radius	1000 mm	1000 mm	1000 mm	1000 mm

ACCESSORIES

	NA	SA	AR+ NA	AR+ SA
SIBUKLE	Spatula A2		Spatula A2	
Profile groups	3 / 5		5	
Profile recommendation	–		–	

SPECIAL COLORS

–

AR+ SibuGlas AR+ products have an excellent abrasion resistance

* Saw blade information: NA: 58453 250x1,4/1,6x30 HW Z80/9,82 (WZF80/16/10) - SA: 58055 250x3,2/2,2x30 HW Z40/19,63

** **Information:** use appropriate balancing material

NA non-adhesive **SA** strongly adhesive **P** Unpolished standard SG products are easily printable

2600
1000

SG YUKON

SG YUKON
2600x1000x1,5 / **NA** 17005 / **SA** 17009

SG YUKON AR+
2600x1000x2,4 / **NA** 17011 / **SA** 17013

Photo: dieeinrichtung Manzenreiter

PRODUCT CHARACTERISTICS

	NA	SA	AR+ NA	AR+ SA
Surface material	PMMA		PMMA	
Back side material	PET		PET	
Material thickness	1,5 mm	1,63 mm	2,4 mm	2,53 mm
Temperature stability	up to 60° C	up to 60° C	up to 60° C	up to 60° C
Wet room suitability	●●●○		●●●○	
Customary abrasion resistance	●●●○○○		●●●●●●●●	
Abrasion resistance after polishing	●●●●●○		–	
Rolled packable	–		–	

EXTRA EQUIPMENT

	NA	SA	AR+ NA	AR+ SA
Format options	–		–	
Further thicknesses	on request		–	
Cuttings	✓		✓	
Magnetic	from 3 sheets	–	–	–
PUR/PVA pre-treatment	–		–	

PROCESSING

	NA	SA	AR+ NA	AR+ SA
Cutting, punching	–	–	–	–
Drilling	✓	✓	✓	✓
Sawing* (supported by a panel)	✓	✓	✓	✓
Laser cutting	✓	✓	✓	✓
Hot bending	–	–	–	–
PUR/PVA compressible**	–	–	–	–
Min. bending radius	1000 mm	1000 mm	1000 mm	1000 mm

ACCESSORIES

	NA	SA	AR+ NA	AR+ SA
SIBUKLE	Spatula A2		Spatula A2	
Profile groups	2 / 3 / 5		3 / 5	
Profile recommendation	–		–	

SPECIAL COLORS

–

AR+ SibuGlas AR+ products have an excellent abrasion resistance

* Saw blade information: NA: 58453 250x1,4/1,6x30 HW Z80/9,82 (WZF80/16/10) - SA: 58055 250x3,2/2,2x30 HW Z40/19,63

NA non-adhesive **SA** strongly adhesive **P** Unpolished standard SG products are easily printable

2600

1000

SG LEGUAN

SG LEGUAN Silver
2600x1000x1,9 / **NA** 16967 / **SA** 16968

SG LEGUAN Silver AR+
2600x1000x2,8 / **NA** 16975 / **SA** 16979

SG LEGUAN Gold
2600x1000x1,9 / **NA** 16970 / **SA** 16973

SG LEGUAN Gold AR+
2600x1000x2,8 / **NA** 16977 / **SA** 16982

SG LEGUAN Copper
2600x1000x1,9 / **NA** 16969 / **SA** 16972

SG LEGUAN Copper AR+
2600x1000x2,8 / **NA** 16976 / **SA** 16981

SG LEGUAN Blue
2600x1000x1,9 / **NA** 16971 / **SA** 16974

SG LEGUAN Blue AR+
2600x1000x2,8 / **NA** 16978 / **SA** 16984

Photo: dieeinrichtung Manzenreiter

PRODUCT CHARACTERISTICS

	NA	SA	AR+ NA	AR+ SA
Surface material	PMMA		PMMA	
Back side material	PU-Leather		PU-Leather	
Material thickness	1,9 mm	2,03 mm	2,8 mm	2,93 mm
Temperature stability	up to 60° C	up to 60° C	up to 60° C	up to 60° C
Wet room suitability	●●●○		●●●○	
Customary abrasion resistance	●●●○○○		●●●●●●●●	
Abrasion resistance after polishing	●●●●●○		–	
Rolled packable	–		–	

PROCESSING

	NA	SA	AR+ NA	AR+ SA
Cutting, punching	–	–	–	–
Drilling	✓	✓	✓	✓
Sawing* (supported by a panel)	✓	✓	✓	✓
Laser cutting	✓	✓	✓	✓
Hot bending	✓	–	–	–
PUR/PVA compressible**	✓	–	✓	–
Min. bending radius	1000 mm	1000 mm	1000 mm	1000 mm

EXTRA EQUIPMENT

	NA	SA	AR+ NA	AR+ SA
Format options	–		–	
Further thicknesses	on request		–	
Cuttings	✓		✓	
Magnetic	from 3 sheets	–	–	–
PUR/PVA pre-treatment	–		–	

ACCESSORIES

	NA	SA	AR+ NA	AR+ SA
SIBUKLE	Spatula A2		Spatula A2	
Profile groups	2 / 3 / 5		3 / 5	
Profile recommendation	–		–	

SPECIAL COLORS

Nero, Silk

AR+ SibuGlas AR+ products have an excellent abrasion resistance

* Saw blade information: NA: 58453 250x1,4/1,6x30 HW Z80/9,82 (WZF80/16/10) - SA: 58055 250x3,2/2,2x30 HW Z40/19,63

** **Information:** use appropriate balancing material

NA non-adhesive **SA** strongly adhesive **P** Unpolished standard SG products are easily printable

2600
1000

LL MYSTIQUE

LL MYSTIQUE Gold/Silver
2612x1000x2,5 **NA** 17252 / **SA** 17253

LL MYSTIQUE White/Gold
2612x1000x2,5 / **NA** 17260 / **SA** 17261

LL MYSTIQUE White/Silver
2612x1000x2,5 / **NA** 17258 / **SA** 17259

LL MYSTIQUE Black/Silver
2612x1000x2,5 / **NA** 17256 / **SA** 17257

LL MYSTIQUE Vintage Silver/Silver
2612x1000x2,5 / **NA** 17254 / **SA** 17255

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	1,9 mm	2,03 mm
Max. relief height	2,5 mm	2,63 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	3 / 5
Profile recommendation	3 / 5

SPECIAL COLORS

on request

NA non-adhesive **SA** strongly adhesive

2612

1000

LL ORIENT

LL ORIENT Gold/Silver
2612x1000x2,3 / **NA** 17264 / **SA** 17265

LL ORIENT Vintage Silver/Silver
2612x1000x2,3 / **NA** 17262 / **SA** 17263

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	2,1 mm	2,23 mm
Max. relief height	2,3 mm	2,43 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	3 / 5
Profile recommendation	3 / 5

SPECIAL COLORS (from 10 sheets)

on request

NA non-adhesive **SA** strongly adhesive

2612

1000

LL FLORAL

LL FLORAL Vintage Silver/Silver
2612x1000x2,9 / **NA** 17266 / **SA** 17267

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	1,9 mm	2,03 mm
Max. relief height	2,9 mm	3,03 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	3 / 5
Profile recommendation	3 / 5

SPECIAL COLORS (from 10 sheets)

Gold/Silver, Vintage Copper/Silver

NA non-adhesive **SA** strongly adhesive

2612

1000

LL Vintage

LL Vintage Copper
2600x1000x1,5 / **NA** 17270 / **SA** 17271

LL Vintage Silver
2600x1000x1,5 / **NA** 17268 / **SA** 17269



PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	1,5 mm	1,63 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options (from 20 m²) **Max. length** **Max. width**	 3000 mm 1250 mm	 3000 mm 1220 mm
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive

2600
1000

LL PEARL RAY



LL PEARL RAY Gold
2600x1000x1,6 / **NA** 17015 / **SA** 17016

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	1,6 mm	1,73 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options (from 20 m²)		
Max. length	3000 mm	3000 mm
Max. width	1270 mm	1220 mm
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive


2600
1000

LL LEGUAN

LL LEGUAN Blue
2600x1000x1,5 / **NA** 16985 / **SA** 16986

Photo: © captblack76 - fotolia.com

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PU-Leather	
Material thickness	1,5 mm	1,63 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options (from 20 m²) **Max. length** **Max. width**	 3000 mm 1270 mm	 3000 mm 1220 mm
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive


2600
1000

SL MYSTIQUE

SL MYSTIQUE Vintage Copper
2612x1000x1,6 / **NA** 17222 / **SA** 17223

SL MYSTIQUE Vintage Silver
2612x1000x1,6 / **NA** 17224 / **SA** 17225

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,6 mm	1,73 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Antique Brass, Antique Bronze

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612

1000

SL ORIENT

SL ORIENT Vintage Copper
2612x1000x1,4 / **NA** 17226 / **SA** 17227

SL ORIENT Vintage Silver
2612x1000x1,4 / **NA** 17228 / **SA** 17229



PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,4 mm	1,53 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Antique Brass, Antique Bronze

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612

1000

SL IMPACT

SL IMPACT Vintage Silver
2612x1000x1,6 / **NA** 17230 / **SA** 17231

SL IMPACT Antique Brass
2612x1000x1,6 / **NA** 17234 / **SA** 17235

SL IMPACT Antique Bronze
2612x1000x1,6 / **NA** 17232 / **SA** 17233

SL IMPACT Antique Bronze

Photo: © amst - fotolia.com

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,3 mm	1,54 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile group	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Vintage Copper

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612

1000

SL RAW

SL RAW Vintage Silver
2612x1000x1,5 / **NA** 17244 / **SA** 17245

SL RAW Antique Brass
2612x1000x1,5 / **NA** 17250 / **SA** 17251

SL RAW Antique Bronze
2612x1000x1,5 / **NA** 17248 / **SA** 17249

SL RAW Vintage Copper
2612x1000x1,5 / **NA** 17201 / **SA** 17202



Photo: dieeinrichtung Manzenreiter

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,5 mm	1,63 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile group	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612

1000

SL PEARL RAY

SL PEARL RAY Vintage Silver
2612x1000x1,1 / **NA** 17152 / **SA** 17156

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,1 mm	1,23 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

on request

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612
1000

SL RACE



SL RACE Silver
2612x1000x1,7 / **NA** 17238 / **SA** 17239

SL RACE Vintage Silver/Bronze
2612x1000x1,7 / **NA** 17242 / **SA** 17243



SL RACE Vintage Copper/Silver
2612x1000x1,7 / **NA** 17240 / **SA** 17241



SL RACE Vintage Copper/Silver

Photo: Intuo

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PET / Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,7 mm	1,83 mm
Temperature stability	up to 60° C	up to 60° C
Wet room suitability	●●●○	
Abrasion resistance	Silver, Vintage Copper/S.: ●●●○○○ Vintage Silver/Bronze: ●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Many DECO-LINE colors available

NA non-adhesive **SA** strongly adhesive **P** easily digital printable



2612

1000

SL RIVET

SL RIVET Vintage Silver
2612x1000x1,8 / **NA** 17236 / **SA** 17237

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,8 mm	1,93 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Vintage Copper, Antique Bronze, Antique Brass

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2612

1000

SL MOTION ONE



SL MOTION ONE Pearl White PF
2612x1000x1,3 / **NA** 17041 / **SA** 17043

Photo: © adpePhoto- fotolia.com

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Max. relief height	1,3 mm	1,43 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●●	
Abrasion resistance	●●●●●●	
Rolled packable	✓	✓

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

ACCESSORIES

SIBUKLE	Spatula A2
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 20 sheets)

Smoke PF, Silver PF, Titan PF, Champagne PF

NA non-adhesive **SA** strongly adhesive **P** easily digital printable


2612
1000

DM FLEUR

DM FLEUR Gold/Brown
2600x1000x1,0 / **NA** 17031 / **SA** 17035

DM FLEUR Silver/Brown
2600x1000x1,0 / **NA** 17032 / **SA** 17036

Photo: dieeinrichtung Manzenreiter

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●○○○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	–	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 500 m²)

on request

NA non-adhesive **SA** strongly adhesive **P** easily printable

2600
1000

DM MONSOON

P

DM MONSOON Vintage Brown
2600x1000x1,0 / **NA** 17033 / **SA** 17037

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●○○○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	✓	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS (from 500 m²)

on request

NA non-adhesive **SA** strongly adhesive P easily printable

2600

1000

DM OAK TREE

DM OAK TREE Light
2600x1000x1,2 / **NA** 17278 / **SA** 17279

DM OAK TREE Dark
2600x1000x1,2 / **NA** 17280 / **SA** 17281

Photo: © fhmedien_de - fotolia.com

PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness	1,2 mm	1,33 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●○○○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options	–	
Further thicknesses	✓	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

Attention: the product will be delivered without protection film

NA non-adhesive **SA** strongly adhesive **P** easily digital printable

2600
1000

DM Vintage

DM Vintage Copper
2600x1000x1,0 / **NA** 17276 / **SA** 17277

DM Vintage Silver
2600x1000x1,0 / **NA** 17274 / **SA** 17275



PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness	1,0 mm	1,13 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●●●○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options (from 100 m²)		
Max. length	3000 mm	3000 mm
Max. width	1250 mm	1220 mm
Further thicknesses	✓	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive NA version available in flame-retardant finish P easily printable

2600

1000

DM COPPER

DM Copper
2600x1000x1,0 / **NA** 17272 / **SA** 17273



PRODUCT CHARACTERISTICS

	NA	SA
Base material	HIPS	
Surface material	PET	
Material thickness	1,0 mm	1,13 mm
Temperature stability	up to 60 °C	up to 60 °C
Wet room suitability	●●●○	
Abrasion resistance	●●●○○○	
Rolled packable	✓	✓

PROCESSING

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	–
Laser cutting	✓	✓
Hot bending	✓	–
PUR/PVA compressible	✓	–
Min. bending radius	150 mm	150 mm

EXTRA EQUIPMENT

	NA	SA
Format options (from 100 m²) **Max. length** **Max. width**	3000 mm 1000 mm	
Further thicknesses	✓	
Cuttings	✓	✓
Magnetic	from 3 sheets	–
PUR/PVA pre-treatment	✓	–

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	1 / 2 / 5

SPECIAL COLORS

–

NA non-adhesive **SA** strongly adhesive NA version available in flame-retardant finish P easily printable


2600
1000

MS GLAZE



MS Green Glaze 3x3 flex.
980x960x1,2 / **SA** 17045



MS White Glaze 3x6 flex.
980x960x1,2 / **SA** 17046

PRODUCT CHARACTERISTICS

	SA
Base material	HIPS
Surface material	Print
Material thickness	1,2 mm
Temperature stability	up to 50 °C
Wet room suitability	●●●○
Abrasion resistance	●●●○○○
Rolled packable	✓

PROCESSING

	SA
Cutting, punching	✓
Drilling	✓
Sawing, milling	–
Laser cutting	✓
Hot bending	–
PUR/PVA compressible	on request

EXTRA EQUIPMENT

	SA
Format options	–
Further thicknesses	–
Cuttings	✓
Magnetic	from 3 sheets
PVA/PUR pre-treatment	-

ACCESSORIES

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5
Profile recommendation	1 / 2 / 5

SPECIAL VERSIONS (from 10 sheets)

also available in 5x5, 10x10 and 20x20, other mosaic patterns on request

SA strongly adhesive **P** easily digital printable



980

960

PROFILE GROUP 2

S18

border/connecting profile for DECO-LINE and STRUCTURE-LINE products

PR S18
Silver gloss
2705x18 / **SA** 17391

PR S18
Silver PF met
2705x18 / **SA** 17306

PR S18
Vintage Copper
2705x18 / **SA** 17304

PR S18
Vintage Silver
2705x18 / **SA** 17305

PR S18
Antique Brass
2705x18 / **SA** 17343

PR S18
Antique Bronze
2705x18 / **SA** 17344

PROFILE GROUP 3

L18

border/connecting profile for LEATHER-LINE products



PR L18
Silver gloss
2705x18 / **SA** 17392

PR L18
Silver PF met
2705x18 / **SA** 17388

PR L18
Vintage Copper
2705x18 / **SA** 17390

PR L18
Vintage Silver
2705x18 / **SA** 17389

PRODUCT CHARACTERISTICS

	SA
Base material	HIPS
Surface material	Print
Temperature stability	up to 60 °C
Wet room suitability	Silver gloss ●●●○ Silver PF met ●●●● Vintage/Antique ●●●○
Abrasion resistance	Silver gloss ●●●●●● Silver PF met ●●●●●● Vintage/Antique ●●●●●○
Rolled packable	✓

PROCESSING

	SA
Cutting	✓
Sawing	✓

SPECIAL COLORS

on request

ASSEMBLY

self-adhesive

SA strongly adhesive

PROFILE GROUP 5

SWI 10

inner corner profile to be sticked on the design sheet

PR SWI 10
Silver PF gloss
2705x10 / **SA** 17313

PR SWI 10
Silver PF met
2705x10 / **SA** 17312

PR SWI 10
Vintage Copper
2705x10 / **SA** 17315

PR SWI 10
Vintage Silver
2705x10 / **SA** 17314

PR SWI 10
Antique Brass
2705x10 / **SA** 17339

PR SWI 10
Antique Bronze
2705x10 / **SA** 17340

SWA 10

outer corner profile to be sticked on the design sheet

PR SWA 10
Silver PF gloss
2705x10 / **SA** 17317

PR SWA 10
Silver PF met
2705x10 / **SA** 17316

PR SWA 10
Vintage Copper
2705x10 / **SA** 17319

PR SWA 10
Vintage Silver
2705x10 / **SA** 17318

PR SWA 10
Antique Brass
2705x10 / **SA** 17341

PR SWA 10
Antique Bronze
2705x10 / **SA** 17342

PRODUCT CHARACTERISTICS

	SA
Base material	HIPS
Surface material	Print
Temperature stability	up to 60 °C
Wet room suitability	Silver PF gloss ●●●○ Silver PF met ●●●● Vintage/Antique ●●●○
Abrasion resistance	Silver PF gloss ●●●○○○ Silver PF met ●●●●●● Vintage/Antique ●●●●●○
Rolled packable	–

PROCESSING

	SA
Cutting	–
Sawing	✓

SPECIAL COLORS

on request

ASSEMBLY

self-adhesive

SA strongly adhesive

SoftLeather PREVIEW

SOL Bianco
NA 17217
roll width: 1350

SOL Creme
NA 17218
roll width: 1350

SOL Mocca
NA 17219
roll width: 1350



SOL Nero
NA 17216
roll width: 1350

SOL COCKTAIL Beryll
NA 17282
roll width: 1250

SOL COCKTAIL Platin
NA 17213
roll width: 1250

SOL COCKTAIL Saphire
NA 17212
roll width: 1250

SOL Vintage Copper
NA 17203
roll width: 1250

SOL Vintage Silver
NA 17204
roll width: 1250

SOL Vintage Copper **NA** non-adhesive

As a highlight, we will also be offering selected patterns in top quality soft leather with a unique feel and appearance. As a result of the introduction of the PVC-free Soft-Leather line, SIBU materials can now be used for cladding or covering purposes. Together with standard SIBU sheets, this offers new combination possibilities, which allow total freedom for the implementation of your ideas.

- ✓ durable, light-resistant, tearproof, easy-care
- ✓ bonding, sewing, tacking

SIBU DESIGN GmbH & CoKG
Jupiterstraße 8, 4452 Ternberg, Austria / Tel.: +43 (0)7256.6025.0
Fax: +43 (0)7256.7020 / E-mail: info@sibu.at / www.sibu.at